

VELUX®

Skylights

Deck mounted skylights



**10-year
installation
warranty**

VELUX flashing
required to qualify

Bringing light to life™

The No Leak Skylight

No Leak Promise
No Worries



3 layers of water protection for deck mounted skylights

- 1** The pre-attached deck seal on all deck mounted skylights provides a seal between the frame and roof deck for a leak-proof installation.
- 2** Adhesive underlayment for secondary water protection against the harshest weather conditions.
- 3** Engineered flashing for easy installation and primary water protection.

VELUX flashing must be purchased in order to qualify for the 10-year installation warranty.

Deck mounted skylight size chart (Rough openings)



| Inch | 14 1/2 | 21 | 22 1/2 | 30 1/16 | 44 1/4 |
|----------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|--------------------------------|
| mm | 368 | 533 | 572 | 763 | 1123 |
| 22 15/16 | | | FS D26 | | |
| 26 7/8 | FS; VS; VSE; VSS C01 | | | FS; VS; VSE; VSS S01 | |
| 30 | | | FS; VSS M02 | | |
| 37 7/8 | FS; VS; VSE; VSS C04 | | FS; VS; VSE; VSS M04 | | |
| 45 3/4 | FS A06 | FS; VS; VSE; VSS C06 | FS D06 | FS; VS; VSE; VSS M06 | FS; VS; VSE; VSS S06 |
| 54 7/16 | | FS; VS; VSE; VSS C08 | | FS; VS; VSE; VSS M08 | |
| 70 1/4 | | FS C12 | | | |

Deck mounted skylight flashing

| Model | Installation | Roofing |
|-------|-------------------|---------------------------------------|
| EDL | Single | Shingle/Slate (14°- 85° roof pitch) |
| EDW | Single | Tile (14°- 85° roof pitch) |
| EDM | Single | Metal (14°- 85° roof pitch) |
| EKL | Gang | Shingle/Slate (14°- 85° roof pitch) |
| EKW | Gang | Tile (14°- 85° roof pitch) |
| ECB* | Low pitch; single | Site built curb (14°- 85° roof pitch) |

*Does not come with VELUX adhesive skylight underlayment, and is not covered by the No Leak warranty.

Choosing the right glass for your skylight

For out of reach applications



Clean, Quiet & Safe glass (xx04)
recommended

Standard on: VSS, VSE
Available on: VS, FS

Clean, Quiet & Safe glass also available in the following options:



Impact (xx06)
Available on: VSS, VSE, VS, FS



Snowload (xx10)
Available on: VSE, VS, FS




Clean

Features Neat® glass coating to keep your skylight cleaner longer, leaving skylights virtually spotless



Quiet

Reduce unwanted outside noise by up to 25% compared to a standard double pane glass, and up to 50% compared to a plastic skylight



Safe

VELUX recommends and building codes require laminated glass for out of reach applications

For in reach applications



Dual pane tempered glass (xx05)

Available on: FS, VS, QPF



VELUX America LLC

450 Old Brickyard Road • PO Box 5001 • Greenwood, SC 29648-5001
Tel 1-800-888-3589 • Fax 1-864-943-2631 • veluxusa.com



facebook.com/veluxamerica
twitter.com/veluxamerica
youtube.com/veluxusa



Solar Powered "Fresh Air" Skylight—Model VSS

- Optional factory installed in-stock blinds available
- The solar panel will work on cloudy days and with indirect light. It does not have to be exposed to direct sunlight to function.
- Comes complete with cut-to-size filler pieces for the drywall return groove (when replacing an existing skylight).
- With an integrated rain sensor, the solar powered skylight will close automatically in case of inclement weather.
- Included with your skylight is the intelligent touch remote control powered by VELUX INTEGRA®. Comes with pre-programmed settings for ease of use.

**For more information visit veluxusa.com/taxcredits*



Electric "Fresh Air" skylight—Model VSE

- Optional factory installed in-stock blinds available
- Included with your skylight is the intelligent touch remote control powered by VELUX INTEGRA®. Comes with pre-programmed settings for ease of use.
- Single hard wire connects into a standard junction box.
- Wall mounted keypad and interface to home automation systems are available.



Manual "Fresh Air" skylight—Model VS

- Optional factory installed in-stock blinds available
- Features pre-finished white wood frame and protective aluminum or copper cladding.
- Smooth-turning handle available for when the skylight is installed within reach.



Fixed skylight—Model FS

- Optional factory installed in-stock blinds available
- Features pre-finished white wood frame and protective aluminum or copper cladding.
- Streamlined exterior profile does not obstruct your roofline.

Factory installed in-stock blinds

If one of the in-stock blinds below are ordered with your skylights, VELUX will factory install your blind for you, or you may select one of our special order blinds. Please visit veluxusa.com to see a listing of special order blinds.

Note: Special order blinds are not pre-installed with your skylight order and require a two-week lead time.

In-stock room darkening - double pleated blinds (Solar powered/manual)

| Basics | | | Authentics | |
|------------------------------|------------------------------|---------------------------------|------------------------------|-----------------------------|
| | | | | |
| CS00 CH00 White | CS01 CH01 Beige | CS41 CH41 Charcoal | CS42 CH42 Green | CS43 CH43 Grey |

In-stock light filtering - single pleated blinds (Solar powered/manual)

| Lights | Naturals | | Shadows | |
|------------------------------|-------------------------------------|------------------------------------|-------------------------------------|---|
| | | | | |
| FS00 FH00 White | FS01 FH01 Classic sand | FS31 FH31 Misty brown | FS32 FH32 Lovely latte | FS33 FH33 Shiny cappuccino |

In-stock venetian blind (FS and VS only) (Manual)

Barn

PA00
White

| | FS | VS | VSE | VSS |
|-----------------------------|----|----|-----|-----|
| Manual room darkening (CH) | ● | | | |
| Manual light filtering (FH) | ● | | | |
| Solar room darkening (CS) | ● | ● | ● | ● |
| Solar light filtering (FS) | ● | ● | ● | ● |
| Manual venetian (PA) | ● | ● | | |

Note: On the VS skylight, removal of the insect screen is required to operate or adjust the venetian blind. Blinds not available for FS size C12. Solar blinds not available for FS size A06.

30% Federal tax credit on solar powered blinds*
Available in room darkening - double pleated blinds, blackout blinds, light filtering - single pleated blinds and light filtering blinds

The No Leak Skylight

No Leak Promise
No Worries



**10-year
installation
warranty**

VELUX flashing
required to qualify