

## Fixed Skylight Systems

Deck-Mounted and Curb-Mounted

# Transforming spaces into favorite places.

### Why skylights?

Daylight is powerful. It helps create a warm, inviting space while improving our overall well-being and decreasing our dependency on electricity. Skylights provide abundant daylight and fresh air, transforming the look and feel of an entire home. We're often asked, "Why skylights?" But with endless benefits to installing more natural light, the question should really be, "Why not skylights?"

### Why VELUX?

For over 80 years, VELUX has pioneered the roof window and skylight market. Our focus has always been on creating the highest quality, most energy-efficient daylight products available. Take advantage of our experience and reimagine your home in daylight with VELUX skylights.



### **Ambient Light**

Light reflects off walls and floors to give your space a soft, glowing look and feel.



### **Privacy**

Your skylight looks up, protecting your home's privacy down below.

#### **Lower Electric Bill**

Turn off more lights in your home by soaking up free light from above.

### **Unique Design**

Add the finishing touch by pairing your skylight with designer shades.

### **Visually Expand**

With endless amounts of sky views, your skylight can visually expand the look and feel of your space.

# Meet your VELUX Skylight System.

# The room-brightening skylight

The discreet nature of the VELUX fixed skylight offers endless sky views and dramatic transformations without obstructing your roofline.







Glass Skylight

The base of the VELUX Skylight System is our world-famous skylight! Fixed skylights have a clean, low-profile appearance that allows them to fit in on any roof.

5

#### **Remote Controls**

Pre-paired remote controls for shades are included in all Skylight Systems for easy set-up.



Solar-Powered Shade

The included room-darkening skylight shade is solar-powered and offers total light control, increasing the Skylight System's energy performance up to 45% (actual percentage varies by skylight model and size).

Weathertight Guarantee

VELUX flashing is required to create a weathertight seal around deckand curb-mount Skylight Systems, as well as to qualify for our 10-year installation warranty. Flashing kits packaged and sold separately.

**Standard Safety Glass** 

Our Standard Safety Glass is a laminated glass that is safe for out-of-reach applications. It is double-paned with an argon fill to help reduce unwanted outside noise while providing a clear view of the skies above.

# Complete light control.

### Solar-Powered Shade Pairing

VELUX shades allow you to control the light, enhance your decor, and improve energy efficiency.

VELUX Skylight Systems include a **pre-installed Room Darkening, Double-Pleated Solar Shade** for the very best skylight experience.

- · Solar-powered and remote-controlled
- · Blackout cloth with honeycomb structure
- · Neat pleats

**In-Stock Shade**<sup>1</sup> Standard with VELUX Skylight System models

Room-Darkening Double-Pleated



White

**Special Order**<sup>2</sup> Ships seperately from skylight Room-Darkening Double-Pleated

Charcoal	Golden Beige	Blue	Light Brown	Dark Taupe	Light Grey	Petrol	Beige
Ivory	Orange	Dusty Green	Light Blue	Grey	Grey Melange	Dark Sand	

### Light-Filtering Single-Pleated



¹In-Stock: Solar skylight shades are sold separately (2-4 business days) and/or factory installed as a part of VELUX Skylight Systems (see page 3). Custom sizes are sold separately as special order. ² Special Order: No factory installation for special order skylight shades. Shades ship separately: skylights 14 business days.





### Fixed Skylight Systems

Visually expand your space and transform your home with natural light and sky views.

Solar-Powered
Remote-Controlled
Shade
Pre-Installed
for Total Light &
Climate Control

Deck-Mounted - FS
Mounts directly to the roof deck



Curb-Mounted - FCM Mounts directly to a site-built curb



### Benefits

FS Sizes

· Low profile creates a clean, streamlined appearance on the roof

C01

C04

C06

C08

C12

D26

D06

A06

 $\boldsymbol{\cdot}$  Twice the natural light as vertical windows

M04

M06

80M

S06

M02


14° - 85° 3:12 - 137:12														
Rough Opening (W-in. x H-in.)	14 <sup>1</sup> /2 x 45 <sup>3</sup> /4	21 x 26 7/8	21 x 37 <sup>7</sup> /8	21 x 45 <sup>3</sup> / <sub>4</sub>	21 x 54 <sup>7</sup> /16	21 x 70 <sup>1</sup> / <sub>4</sub>	22 <sup>1</sup> /2 x 22 <sup>15</sup> /16		30 <sup>1</sup> /16 x 30	30 <sup>1</sup> /16 x 37 <sup>7</sup> /8	30 <sup>1</sup> /16 x 45 <sup>3</sup> /4	30 <sup>1</sup> /16x 54 <sup>7</sup> /16	44 <sup>1</sup> / <sub>4 x</sub> 26 <sup>7</sup> / <sub>8</sub>	44 <sup>1</sup> /4 x 45 <sup>3</sup> /4
Model FS sizes D26 and D06 fit perfectly between roof trusses.														
FCM Sizes	1943		2222	223	0	2234	22	46	2270	2	347	3030	;	3046
0°-60° 0:12-20:12														
Outside Curb (W-in.xH-in.)	22 <sup>1</sup> /2 : 46 <sup>1</sup> /2		25 <sup>1</sup> /2 x 25 <sup>1</sup> /2	25 <sup>1</sup> / 33 <sup>1</sup>		25 <sup>1</sup> /2 x 37 <sup>1</sup> /2		1/2 x 1/2	25 <sup>1</sup> /2 x 73 <sup>1</sup> /2		1/2 x )1/2	33 <sup>1</sup> / <sub>2</sub> ; 33 <sup>1</sup> / <sub>2</sub>		3 <sup>1</sup> /2 x 49 <sup>1</sup> /2
FCM Sizes Cont.	3055		3171	342	2	3434	34	46	4622	4	630	4646		4672
0°-60° 0:12-20:12														
Outside Curb (W-in.xH-in.)	33 1/2 : 58 1/2		35 x 75	37 1/ 25 1		37 1/2 x 37 1/2		1/2 x 1/2	49 1/2 x 25 1/2		1/2 x 3 1/2	49 1/2 x 49 1/2		9 1/2 x 75 1/2


 ${\it Custom size FCM are available}.$ 

# The VELUX Skylight Guarantee

Three patented layers of water protection work together to ensure your VELUX skylight will hold up in all weather conditions.

Our skylight warranty is our commitment that VELUX skylights installed with our flashing will stand strong in all types of weather. We're able to make this commitment with a 10-year installation warranty backed by our patented three layers of water protection on deck- and curb-mounted skylights.







- Pre-Attached Seal
  Pre-attached deck seal (deck-mounted) or gasket
  (curb-mounted) provides a tight seal for leak-proof
  installation.
- 2 Adhesive Underlayment
  Adhesive underlayment for secondary water
  protection against the harshest weather
  conditions.
- 3 Engineered Flashing
  Engineered flashing for easy installation and primary water protection.

V4454-2025 - ©2025 VELUX Group - VELUX Group - VELUX Group are registered trademarks - VELUX Sun Tunnel® is a trademark of VELUX Group. - © 2018 - 2025 Warner Bros. Discovery, Inc. or its subsidiaries and affiliates. All trademarks are the property of their respective

Transforming spaces since 1941. For over 80 years, VELUX has helped people envision and achieve the transformation of spaces using daylight and fresh air through the roof. Our product program includes skylights, Sun Tunnel® skylights, decorative shades and roof windows, as well as installation and smart home solutions. By creating brighter, healthier, more sustainable places to live, work, learn, and play we enable a better everyday life for people around the world. We work globally with sales and manufacturing operations in more than 40 countries and around 11,500 employees worldwide. The VELUX Group is owned by VKR Holding A/S, a limited company wholly owned by non-profit, charitable foundations (THE VELUX FOUNDATIONS) and family.

For more information, visit veluxusa.com.



VELUX America LLC 215 Puckett Ferry Road PO Box 5001 Greenwood, SC 29648-5001

1-800-888-3589

veluxusa.com